


Oak

GRESART.  
CERAMIC TILES



## **Classic Design**


*Oak tree effect,  
with textured grain relief.*






# Oak


8 Colours



20x120  
Rectified



22,5x90



15x75



*White*

*Tortora*

*Taupe*

*Dark*

*Brown*

*Honey*

*Cream*

*Tea*



*Oak White*  
20x120 R



*Oak Cream*  
20x120 R



*Oak Brown*  
22,5x90





*Oak Dark*  
22,5x90



*Oak Brown*  
22,5x90





*Oak Cream*  
22,5x90



*Oak Honey*  
22,5x90





*Oak Tortora*  
22,5x90



*Oak Tea*  
22,5x90



*Oak Tortora*  
20x120 R



*Oak Cream*  
20x120 R



# Oak White




*Oak White*  
**GP0622**  
20x120



*Oak White*  
**GP0622**  
22,5x90



*Oak White*  
**GP0622**  
15x75



- Skirting* 9,5x120
- Skirting* 7x90
- Skirting* 7x75
- Step* 20x120
- Step* 22,5x90
- Step Tec.* 20x120
- Step Tec.* 22,5x90

# Oak Tortora




*Oak Tortora*  
**GP0518**  
20x120



*Oak Tortora*  
**GP0518**  
22,5x90




*Oak Tortora*  
**GP0518**  
15x75



*Skirting* 9,5x120  
*Skirting* 7x90  
*Skirting* 7x75  
*Step* 20x120  
*Step Tec.* 22,5x90  
*Step Tec.* 22,5x90



# Oak Taupe




*Oak Taupe*  
**GP0644**  
20x120



*Oak Taupe*  
**GP0644**  
22,5x90




*Oak Taupe*  
**GP0644**  
15x75




*Skirting* 9,5x120  
*Skirting* 7x90  
*Skirting* 7x75  
*Step* 20x120  
*Step* 22,5x90  
*Step Tec.* 20x120  
*Step Tec.* 22,5x90

# Oak Dark




*Oak Dark*  
**GP0623**  
20x120



*Oak Dark*  
**GP0623**  
22,5x90



*Oak Dark*  
**GP0623**  
15x75




*Skirting* 9,5x120  
*Skirting* 7x90  
*Skirting* 7x75  
*Step* 20x120  
*Step Tec.* 22,5x90  
*Step Tec.* 20x120  
*Step Tec.* 22,5x90




# Oak Brown




*Oak Brown*  
**GP0515**  
20x120



*Oak Brown*  
**GP0515**  
22,5x90




*Oak Brown*  
**GP0515**  
15x75



- Skirting* 9,5x120
- Skirting* 7x90
- Skirting* 7x75
- Step* 20x120
- Step* 22,5x90
- Step Tec.* 20x120
- Step Tec.* 22,5x90

# Oak Honey




*Oak Honey*  
**GP0514**  
20x120



*Oak Honey*  
**GP0514**  
22,5x90



*Oak Honey*  
**GP0514**  
15x75



*Skirting* 9,5x120  
*Skirting* 7x90  
*Skirting* 7x75  
*Step* 20x120  
*Step* 22,5x90  
*Step Tec.* 20x120  
*Step Tec.* 22,5x90


# Oak Cream




*Oak Cream*  
**GP0517**  
20x120



*Oak Cream*  
**GP0517**  
22,5x90



*Oak Cream*  
**GP0517**  
15x75



- Skirting* 9,5x120
- Skirting* 7x90
- Skirting* 7x75
- Step* 20x120
- Step Tec.* 22,5x90
- Step Tec.* 20x120
- Step Tec.* 22,5x90



# Oak Tea




*Oak Tea*  
**GP0524**  
20x120



*Oak Tea*  
**GP0524**  
22,5x90



*Oak Tea*  
**GP0524**  
15x75




- Skirting* 9,5x120
- Skirting* 7x90
- Skirting* 7x75
- Step* 20x120
- Step* 22,5x90
- Step Tec.* 20x120
- Step Tec.* 22,5x90

# SUSTAINABILITY

WE MEET  
**LEED**™ AND **BREEAM**®  
REQUIREMENTS

| Ceramic Product, references of GRESART        | % recycled material included | Sources   |
|---|------------------------------|---|
| Floor tiles: Glazed ceramic, Glazed porcelain | 25-27%                       | Internal quality data; internal wastes from the process |
| Wall tiles: White body, Mariposa              | 28%                          | External data; external wastes                          |




**ECO-BODY**



28%  
RECYCLED

THIS PRODUCT IS  
**LEED ACCORDANT**


**ÉMISSIONS DANS L'AIR INTÉRIEUR\***



**A+**


A+ A B C

**GRÉS PORCELÂNICO • GLAZED PORCELAIN  
GRÈS CÉRAME • FEINSTEINZEUG**




**8,8mm**

**20x120 Rectified**



**8,0mm**

**22,5x90**




**8,8mm**

**15x75**

Espeçura • Thickness



**VARIAÇÕES DE TONALIDADE • VARIATION IN TONE  
VARIATIONS DE TONALITÉ • FARBABWEICHUNGENN**



**V2**

Média • Medium

**FORMAS DE APLICAÇÃO • TILING INSTRUCTIONS  
FAÇONS DES POSE • VERLEFUNGARTEN**


Aplicação em contrafiada não recomendada a mais de 1/3 da peça.

It's not recommended laying the pieces more than 1/3 of the length of the tile.

Pose conseillée avec un décalage entre chaque carreau non supérieur à 1/3 de la longueur du carreau même.


Bei einer versetzten Verlegung empfehlen wir 2/3 [zweidrittel] Verbandverlegung.

**Correto / Correct**



1/3 Peça • Piece • Carreaux

**Incorreto / Incorrect**



1/2 Peça • Piece • Carreaux










Al\_m[In'=\_ligc][Ch^omnic{fM{;  
j[In[^i-3'?=^\_lfc\_p\_cl[^i<clliv-11+3/.lfc\_p\_cl[^i<cllivjilnoaf  
N\_ff{%-/+,-.1.\*,\*\*v@[r{%-/+,-.1.1.0,  
al\_m[In:al\_m[In{}igvqqq[al\_m[In{}ig





TECHNICAL DATA

Grés Porcelânico Vidrado  
Glazed Porcelain Tiles  
Grés Cérame Émaillé  
Feinsteinzeug Glasiert  
Grés Porcelánico

| EN 14411:2012   | Características Técnicas<br>Technical Data<br>Caractéristiques Techniques<br>Technische Daten<br>Datos Técnicos   | Norma de Ensaio<br>Test Norm<br>Norme du Test<br>Testnormen<br>Norma de Prueba                         | Anexo • Annex<br>Annexe • Anhang<br>Grupo • Group<br>Gruppe • Gruppe | G<br>BI <sub>a</sub>   | GRESART <sup>®</sup><br>CERAMICA  |
|---|---|--|--|--|---|
|   | Comprimento e Largura<br>Length and Width<br>Longueur et Largeur<br>Länge und Breite<br>Longitud y Anchura  |  |  | ± 0,6 %  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|   | Espessura<br>Thickness<br>Épaisseur<br>Dichte<br>Grosor   |  |  | ± 5 %  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|    | Rectilinearidade das Arestas<br>Edge Warpages<br>Rectitude des Arêtes<br>Geradlinigkeit der Kanten<br>Rectitud de los Bordos  | EN ISO 10545-2   |  | ± 0,5 %  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|   | Medida da Ortogonalidade<br>Rectangularity<br>Angularité<br>Rechtwinkligkeit der Kanten<br>Grado de Ortogonalidad   |  |  | ± 0,5 %  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|   | Medida da Planaridade<br>Surface Flatness<br>Planéité de la Superficie<br>Ebenflächigkeit<br>Medición de Planaridad   |  |  | ± 0,5 %  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|    | Absorção de Água<br>Water Absorption<br>Absorption D'eau<br>Wasseraufnahme<br>Absorción de Agua   | EN ISO 10545-3   |  | E <sub>w</sub> ≤ 0,5%  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|    | Resistência à Flexão<br>Breaking Strength<br>Résistance à la Flexion<br>Biegefestigkeit<br>Resistencia a la Flexión   | Módulo de Rutura<br>Modulus of Rupture<br>Module de Rupture<br>Bruchmodul<br>Módulo de Rotura          | EN ISO 10545-4   | ≥ 35 N/mm <sup>2</sup>   | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|   |   | Força de Rutura<br>Breaking Strength<br>Force de Rupture<br>Bruchfestigkeit<br>Resistencia a la Rotura |  | ≥ 1300 N   | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|   | Resistência à Abrasão<br>Resistance to Abrasion<br>Résistance à L'abrasion<br>Abnutzungsbeständigkeit<br>Resistencia a la Abrasion  |  | EN ISO 10545-7   | Segundo os Valores do Fabricante<br>According to Manufacturer Requirements<br>Selon les Valeurs du Fabricant<br>Gemäss der Werte des Herstellers<br>Según los Valores del Fabricante | Indicação na Tabela de Preços<br>Indication on Price List<br>Indication sur la Liste de Prix<br>Hinweis auf der Preisliste<br>Indicación en la Tabla de Precios |
|  | Resistência ao Choque Térmico<br>Resistance to Thermal Shock<br>Résistance aux Chocs Thermiques<br>Resistenz Gegen Thermischen Schock<br>Resistencia ao Choue Térmico   |  | EN ISO 10545-9   | Exigido<br>Required<br>Exigée<br>Gefordert<br>Exigido  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|  | Resistência ao Fendilhamento<br>Cracking Resistance<br>Résistance aux Tréanillures<br>Abnutzungsbeständigkeit<br>Resistencia a lo Agrietado   |  | EN ISO 10545-11  | Exigido<br>Required<br>Exigée<br>Gefordert<br>Exigido  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|  | Resistência ao Gelo<br>Frost Resistance<br>Résistance au Gel<br>Frostbeständigkeit<br>Resistencia al Hielo  |  | EN ISO 10545-12  | Exigido<br>Required<br>Exigée<br>Gefordert<br>Exigido  | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|  | Resistência aos Ácidos e Bases<br>Resistance against Acids and Bases<br>Résistance aux Acides et Bases<br>Beständigkeit Gegen Säuren u Laugen<br>Resistencia a los Ácidos y Bases   |  | EN ISO 10545-13  | Segundo os Valores do Fabricante<br>According to Manufacturer Requirements<br>Selon les Valeurs du Fabricant<br>Gemäss der Werte des Herstellers<br>Según los Valores del Fabricante | Mínimo: GLB<br>Minimum: GLB<br>Minimum: GLB<br>Minimum: GLB<br>Minimum: GLB   |
|   | Resistência aos Produtos de Limpeza Domesticos<br>Resistance to Household Cleaning Products<br>Résistance aux Produits Ménagers de Nettoyage<br>Beständigkeit Gegen Haushaltsprodukte<br>Resistencia a los Productos de Limpieza Domésticos |  |  | Mínimo: GB<br>Minimum: GB<br>Minimum: GB<br>Minimum: GB<br>Minimum: GB   | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |
|  | Resistência às Manchas<br>Staining Resistance<br>Résistance aux Taches<br>Beständigkeit Gegen Flecken<br>Resistencia a las Manchas  |  | EN ISO 10545-14  | Mínimo: Classe 3<br>Minimum: Class 3<br>Minimum: Classe 3<br>Minimum: Klasse 3<br>Minimum: Clase 3   | Garantido<br>Guaranted<br>Garanti<br>Gewährleistet<br>Garantizado   |



GRESART  
CERAMIC TILES